



FIRE RESISTANT TIMBER GLAZED SCREENS

Certificate number: IFCC 1252

Certificate only valid if verified on website – www.ifccertification.com

Issued by IFC Certification Ltd part of the Kiwa UK Group

This is to certify that

K. Lambrianou & Sons Ltd

Andrea Zakou No. 14
Aradippou Industrial Area
7101 Aradippou
Larnaca
Cyprus

Telephone no. +357 24 533676

Who fabricate timber fire resisting elements with the following glasses:

**Pyrobelite 7, Pyrobelite 7 EG, Pyrobelite 10, Pyrobelite 12,
Pyrobel 16, Pyrobel 16 EG, Pyrobel 25, Pyrobel 25 EG**

have satisfied the requirements of scheme SDP 09. This includes the testing of products to **BS476: Part 22, EN1363-1 or EN 1364-1** as appropriate, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications and fields of application to achieve from **30 mins to 60 mins integrity** are detailed in the schedule referenced below. As this certificate invokes CF377 it cannot remain valid after the expiry date of CF377.

Schedule ref: IFCC1252/S01

Initial Certification: 31 July 2016

Reissued: 23 February 2024

Valid to: 18 March 2026

Issue Number: 8

David Mowatt
Head of Certification – IFC Certification /
KIWA Group Limited

*This certificate consists of 1 page.
Publication of this certificate is permitted.*

CERTIFICATE